PRINTED: 12/14/2011 FORM APPROVED

(X6) DATE

Division of Health Care Facilities

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:		(X2) MULTIPLE CONSTRUCTION A. BUILDING		(X3) DATE SURVEY COMPLETED	
TN2402		TN2402		B. WING		04/26/2011	
NAME OF PROVIDER OR SUPPLIER			STREET ADDR	RESS, CITY, STA	TE, ZIP CODE		
			308 LAKE DRIVE, PO BOX 550 SOMERVILLE, TN 38068				
(X4) ID PREFIX TAG	SUMMARY ST (EACH DEFICIENC REGULATORY OR		ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (X5) (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DATE DEFICIENCY) (X5) COMPLETE DATE			
N 002	2 1200-8-6 No Deficiencies			N 002			
	This Rule is not met as evidenced by: During the annual re-licensure survey conducted on 4/25/11 through 4/26/11 NHC Healthcare Somerville was found to be in compliance with the State Licensure Regulations.		:				
2000	alth Care Facilities						

LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE

STATE FORM 6899 LP1C11 If continuation sheet 1 of 1

TITLE